


## HYPER PLAY 6AMW 6.5" PORTABLE PA SYSTEM WITH UHF WIRELESS MIC, MP3/BLUETOOTH, AND RECHARGEABLE BATTERY

HYPER PLAY 6AMW is a new battery-powered portable loudspeaker with 6,5" woofer. It features a 4-channel mixer, MP3 player, USB, SD-card, and Bluetooth™ connection and professional a UHF wireless microphones with handheld transmitter. HYPER PLAY 6AMW is AC or battery operated with about 5 hours battery life. The Built-in Class-D amplifiers delivers 150W Program Power. The stylish polypropylene enclosure is strong and lightweight, with metallic grille, and 36mm standard pole mount hole. Included in the package there is a padded cover with side pockets to hold microphone and mains adapter.



# HYPER PLAY 6AMW

## 6.5" PORTABLE PA SYSTEM WITH UHF WIRELESS MIC, MP3/BLEETOOTH, AND RECHARGEABLE BATTERY

### PRODUCT DETAILS

#### KEY FEATURES

Portable 2-Way Active Speaker with Rechargeable Battery

Sturdy polypropylene enclosure compact and lightweight

300W Peak Power Class-D power amplifier (Peak Power, AC powered)

6,5" woofer with 1" compression driver

MP3 player with USB, SD Card and Bluetooth™

UHF Handheld Wireless Microphone

2 Microphone/Line inputs

1 Stereo Input (Mini Jack /RCA)

2-Band EQ

Lead Rechargeable Battery with 5-hour battery life

36 mm standard pole mount

Handle on top

Padded Cover with side-pockets

#### SPECIFICATIONS

|                    |   |
|--------------------|---|
| Frequency response | 80Hz-20KHz                              |
| Max. SPL           | 110 dB (values referred to mains power) |
| LF                 | 6,5" / HF                               |
| Directivity (HxV)  | 90° x 60°, Symmetric                    |

# HYPER PLAY 6AMW

## 6.5" PORTABLE PA SYSTEM WITH UHF WIRELESS MIC, MP3/BLUETOOTH, AND RECHARGEABLE BATTERY

|  |  |
|--|--|
| <b>Crossover Frequency</b>                       | 5.1 kHz  |
| <b>Amp Power (Program/Peak)</b>                  | 150W / 300W, Class-D (values referred to mains power)                                  |
| <b>Controls</b>                                  | 2xMic/Line level, UHF Mic Level, AUX/Bluetooth/MP3 level, AUX-MP3 Switch, Master level |
| <b>2-Band EQ (BASS/TREBLE)</b>                   | Bass 100Hz (+/- 12dB); Treble 10kHz (+/- 12dB)   |
| <b>Connections</b>                               | 2xMic/Line Combo, AUX Stereo Mini Jack, Line In L&R RCA Jack                           |
| <b>Indicators</b>                                | Power, Clip, Wireless Mic On, RF Mic, Battery Charge                                   |
| <b>Media player</b>                              | USB, SD-Card, Bluetooth™, LCD Display  |
| <b>Media player controls</b>                     | Stop, Play/Pause, Next track, Previous track, Mode                                     |
| <b>Power Mains</b>                               | 19V - 3,42A  |
| <b>Rechargeable Battery</b>                      | 12V-2600 mAh Lead Battery (TP12-2.6 type)  |
| <b>Battery Size (WxHxD)</b>                      | 70mm x 47mm x 100mm  |
| <b>Battery Charge/Discharge Cycle</b>            | 2hours / 5hours  |
| <b>Wireless Microphone Frequency</b>             | Carrier Freq. UHF 863-865MHz; Operating Freq. 863.1MHz.                                |
| <b>Frequency Response</b>                        | 50Hz – 17kHz   |
| <b>Transmitter Power</b>                         | 10mW   |
| <b>Modulation Type</b>                           | FM   |
| <b>Battery Voltage</b>                           | 3V (2x1.5V AA-Type Batteries) - Continuous use about 7 hours                           |
| <b>Hand-held Mic. Size (W/DxH)</b>               | Ø35 (min) - Ø52 (max) x 245 mm   |
| <b>Wireless Mic. Weight</b>                      | 0.245 kg (batteries included)  |
| <b>Housing / Grille material</b>                 | Polypropylene / 0-8mm Steel  |
| 1 Handle on top + Padded Cover with side pockets |  |
| <b>Pole Mount</b>                                | Standard D36 mm  |
| <b>Speaker Dimension (WxHxD)</b>                 | 220 x 320 x 200 mm   |
| <b>Packing Dimension (WxHxD)</b>                 | 420 x 633 x 340 mm   |