

ZEUS II A-300

## **2X100W @ 8OHM / 2X150W @ 4OHM PROFESSIONAL CLASS-AB POWER AMPLIFIER**

ZEUS II Series represents a new era in affordable, quality power amplification. All five models (3 in AB-Class, and 2 in H-Class) in this series are powerful, rugged and reliable. They are suited for musicians, DJs, and entertainers as well as houses of worship, discos, clubs and pubs. Models are A-300, A-600, A-900 in AB-Class, and H-1800, H-2700 in H-Class. Features include RCA and XLR inputs, user selectable input sensitivity of 0.775V or 1.4V for the H-1800, H-2700 models, Speakon® and binding post outputs, stereo/parallel/bridge-mono modes, power/fault/signal presence/clip indicators, forced-air cooling.



ZEUS II A-300

# 2X100W @ 8OHM / 2X150W @ 4OHM PROFESSIONAL CLASS-AB POWER AMPLIFIER

## PRODUCT DETAILS

### KEY FEATURES

- Intelligent Cooling System Makes Power Amplifier Work More Quiet
- Stereo/parallel/bridged-mono Modes
- High Quality Transformer with High Performance
- Upgraded Cooling Fans With Magnetic Suspension Technology And Low Noise
- 2U Chassis Design
- AB-Class traditional and reliable circuitry with high-quality components
- Soft Start Function

### SPECIFICATIONS

Stereo Nominal Output Power	2 x 100W @ 8ohm , 2 x 150W @4ohm
Bridged Nominal Output Power	1 x 300W @ 8ohm
Input Sensitivity	1,4V / 0,775V
Input Impedance	20Kohm / 10Kohm
Frequency Response	20Hz / 20kHz
Damping Factor	> 350
S/N Ratio	> 95dB
Amplifier	Class A/B
Power Requirements	220V – 50/60Hz
Dimension(WxHxD)	482 x 320 x 88 mm

ZEUS II A-300

# 2X100W @ 8OHM / 2X150W @ 4OHM PROFESSIONAL CLASS-AB POWER AMPLIFIER

<b>Packing Size (WxHxD)</b>	520 x 410 x 135 mm
Height 2 x 19" Rack Unit	
<b>Net Weight</b>	10 kg
<b>Carton Weight</b>	11,5 kg