

## SCENIC COB-200W 200W WARM-COLD WHITE COB LED PAR LIGHT

Centolight Scenic COB-200W is a 200W COB Led Par with 60° beam angle. The light source combines Warm-White at 3200K and Cold-White at 6500K, both controllable separately in manual or DMX mode. It is designed for all those applications that could need variable white color temperature, as live shows, discos, showrooms, etc.

The silence is guaranteed by the quality of cooling fan controlled by the internal processor, which maintains the overall noise within 20dB @ 1m. The structure of the light is in die-cast aluminum, for maximum lightness and robustness. The fixture is also equipped with bran-door.



SCENIC COB-200W

# 200W WARM-COLD WHITE COB LED PAR LIGHT



## SCENIC COB-200W

# 200W WARM-COLD WHITE COB LED PAR LIGHT

## PRODUCT DETAILS

### KEY FEATURES

COB Led Par Light with 60° Beam Angle

200W COB LED with over 50,000h lifetime

Color Temperature: 3200K + 6400K

Luminous Flux: 888lux @ 3m, 347lux @ 5m

CRI: Ra90

Smooth 16-bit Dimmer

Flicker-Free Operation

Low-Noise Cooling System

Barndoor Included

### SPECIFICATIONS

<b>Light Source</b>	200W Warm-Cool White COB LED (100W+100W)
<b>Chip Life</b>	over 50,000h
<b>CCT (Color Temperature)</b>	3200K + 6400K
<b>Luminous Flux</b>	(3200K+6400K 2in1) 888lux/3m, 347lux/5m, 104lux/10m
<b>CRI</b>	Ra90
<b>Dimmer Control Frequency</b>	over 15kHz (Flicker-Free)
<b>Beam Angle</b>	60°
<b>Dimmer</b>	16-Bit Smooth Linear Dimming
<b>Strobe effect</b>	Yes
<b>Cooling System</b>	Quiet Fan (under 25dB @1m)

**SCENIC COB-200W****200W WARM-COLD WHITE COB LED PAR LIGHT**

<b>DMX Channel Modes</b>	2/4/6 Channels (RDM Included)
<b>Control Modes</b>	DMX, Master-Slave, Sound, Auto Run, Manual Dimming
<b>Control Panel</b>	4 Buttons and LED Display
<b>IP Rate</b>	IP22
<b>DMX In/Out</b>	3-pin XLR
<b>Power Socket</b>	Powercon In/Out
Voltage:100~240V 50/60Hz	
<b>Max Power Consumption</b>	230W
<b>Working Temperature</b>	-30÷55°C
<b>Barndoor</b>	Included
<b>Fixture Size (WxDxH)</b>	234x313x290mm – 9.21x12.32x11.42in (C-Bracket and barndoor not included) / 485x313x290mm – 19.09x12.32x11.42in (C-Bracket and barndoor included)
<b>Net Weight</b>	4kg – 8.81 lbs.
<b>Packing Size (WxDxH)</b>	250x250x370mm – 9.84x9.84x14.57in
<b>Packing Weight</b>	4,6kg – 10.14 lbs.