


## MINI SCF NCH-5 MINI SUPER CHORUS STOMPBOX (CHORUS, FLANGER, PITCH MODULATION)

The mini SCF (Super Chorus, Flanger & Pitch Modulation) tributes to TC Electronic's **Stereo Chorus Flanger**, one of the best modulation pedals ever made since 1976.


NUX's modern-tech DSP yields a perfect combination of both worlds: analog and digital. To achieve all of the objectives, our engineers had to develop an algorithm that mimics the principles of BBD chips - the key component of Analog Chorus effects.



MINI SCF NCH-5

# MINI SUPER CHORUS STOMPBOX (CHORUS, FLANGER, PITCH MODULATION)

---



MINI SCF NCH-5

## MINI SUPER CHORUS STOMPBOX (CHORUS, FLANGER, PITCH MODULATION)

---

### HIGHLIGHTS

---



#### A COMPACT AND SMART PEDAL INSPIRED BY A SUPER CLASSIC

Inspired by TC Electronic's Super Chorus, MINI SCF gathers Chorus, Flanger and Pitch Modulation in a super compact, intuitive and flexible unit, where the best of analog and digital worlds join together to improve tones that have made history.

### THE POWER OF NUX DSP

Using DSP technology, NUX is able to offer a mini-pedal with 3 FXs, wider dynamic range, 9V DC power, smart tap tempo that innovates the origin and gives you more good vibes.



## MINI SCF NCH-5

# MINI SUPER CHORUS STOMPBOX (CHORUS, FLANGER, PITCH MODULATION)

## PRODUCT DETAILS

### KEY FEATURES

- Tribute to a legendary modulation pedal
- Chorus, Flanger, Pitch modulation in a single mini stompbox
- Smart Tap Tempo
- True-bypass or Buffer-bypass
- Supports Stereo I/O with TRS Cable
- Low power consumption (Less than 100mA)
- USB-C port for firmware updates

### SPECIFICATIONS

<b>Input Impedance</b>	1M $\Omega$
<b>Output Impedance</b>	10k $\Omega$
<b>Dynamic Range</b>	103 dB
<b>DSP Processing</b>	48KHz / 32-bit A/D D/A
<b>Sampling Rate</b>	48KHz / 24-bit
<b>Power</b>	9V DC (Negative tip, Optional ACD-006A adapter)
<b>Current Draw</b>	less than 100mA
<b>Dimensions</b>	94(L)X51(W)X53(H)mm
<b>Weight</b>	175g