



PULSE NSS-4 MINI IR LOADER STOMPBOX



Pulse (NSS-4) is a mini IR-Loader pedal with 3 different modes including **Electric guitar CAB**, **Bass CAB**, and **Acoustic guitar IR**.

You can switch the types by tapping the tap switch. Besides that, you can use Pulse as a silent practice tool (1/8" phone jack) in the end of your pedalboard and even as a USB recording interface onto DAW.

You can use Pulse edit software to load any 3rd party IRs.



PULSE NSS-4 MINI IR LOADER STOMPBOX



PULSE NSS-4 MINI IR LOADER STOMPBOX

HIGHLIGHTS

8 ELECTRIC GUITAR CAB IRS



JZ120(Roland Jazz 120), DR112 (Fender Deluxe Reverb), BS410 (Fender Bassman 410), A212 (VOX AC30 212), TR212 (Fender Twin Reverb 212), 1960 (Marshall 1960A 412), GB412 (Celestion Greenback 412), V412 (Celestion Vintage30 412).

8 ELECTRIC BASS CAB IRS

AGL DB810 (Aguilar DB 810), AMP SV810 (Ampeg SV810), MKB 410 (Mark Bass 410), TRC 410 (Trace Elliot 410), AMP SV410 (Ampeg SV410 + Tweeter), Bassguy 410 (Fender Bassman 410), Eden 410 (EDEN 410), AMP SV212 (Ampeg SV212).



PULSE NSS-4 MINI IR LOADER STOMPBOX



8 ACOUSTIC GUITAR IRS

G HBird EG Mag (Gibson Hummingbird for Electric Guitar Magnetic PU), G J15 EG Mag (Gibson J15 for Electric Guitar Magnetic PU), M D45 EG Mag (Martin D45 for Electric Guitar Magnetic PU), G HBird Pie (Gibson Hummingbird for Acoustic Guitar Piezo under saddle PU), G J15 Pie (Gibson J15 for Acoustic Guitar Piezo under saddle PU), M D45 Pie (Martin D45 for Acoustic Guitar Piezo under saddle PU), M HD28 Pie (Martin HD28 for Acoustic Guitar Piezo under saddle PU), T 814 Pie (Taylor 814 for Acoustic Guitar Piezo under saddle PU).

GET MORE WITH PULSE SOFTWARE

Support VAW, load 3rd parties IRs, tweak in depth your IRs: is powerful, easy and free!



PULSE NSS-4 MINI IR LOADER STOMPBOX

PRODUCT DETAILS

KEY FEATURES

Supports WAV format automatically (through Pulse Editor)

Electric guitar CAB: JZ120, DR112, BS410, A212, TR212, 1960, GB412, V412

Bass CAB: AGL DB810, AMP SV810, MKB 410, TRC 410, AMP SV410, Bassguy 410, Eden 410, AMP SV212

Acoustic guitar IR: G HBird EG Mag, G J15 EG Mag, M D45 EG Mag, G HBird Pie, G J15 Pie, M D45 Pie, M HD28 Pie, T 814 Pie

True-bypass or Buffer-bypass

Low power consumption (less than 100mA)

1024 samples real time calculation

Supports Stereo I/O with TRS Cable

USB Audio Stream, Firmware Update, Phone out

Pulse Editor for 3rd party IR loading, IR tweaking (IR Level, Low Cut, High Cut)

SPECIFICATIONS

Input Impedance	1M?
Output Impedance	10k?
Dynamic Range	103 dB
DSP Processing	48KHz / 32-bit A/D D/A
Sampling Rate	48KHz / 24-bit
Power	9V DC (Negative tip, Optional ACD-006A adapter)
Current Draw	less than 100mA
Dimensions	94(L)X51(W)X53(H)mm

PULSE NSS-4
MINI IR LOADER STOMPBOX

Weight

175g