ACCESSORIES




WAC-001 Multi-Plug Cable

This is a daisy-chain cable to power multiple NUX Pedal with one adaptor.



AC/DC Power Adapter

ACD-006A Power adapter is ideal to use with NUX MG-100, MG-200, MFX-10 and MG-20, CORE DELUXE and FORCE series effect pedals.



■ Compitable to use with wall voltage.

(From AC 100V to AC 240V)



WTB-004

Footswitch / Sustain Pedal

WTB-004 Footswitch / Sustain pedal for use with NUX Mighty 15/50X, Frontline 15/30/50, Acoustic 30 amplifiers, Nux Loop Core and Multi-Effect pedals.



WTB-006

Footswitch / Sustain Pedal

WTB-006 Footswitch / Sustain pedal for use with NUX Mighty 15/50X, Frontline 15/30/50, Acoustic 30 amplifiers, Nux Loop Core and Multi-Effect pedals.



STB-4

NUX Effects Pedal Board

STB-4 is a handy pedalboard with a soft bag designed for 4 regular size stompboxes. You can carry your pedals to everywhere and you can use the front pocket to put your extra patch cables and power supply.



NMP-2

Dual FootSwitch

NMP-2 Dual Footswitch for use with NUX Loop Core Deluxe pedal.



NMP-4

Bluetooth Footswitch Pedal

NMP-4 is a functional Bluetooth controller pedal designed as a supplemental gear for Stageman Acoustic Guitar amplifier.

Acoustic Guitar amplifier.
It controls the built-in Chorus and Reverb for both channels and you can use more functions on Stageman such as built-in loop station and drum machine which you cannot find on the amplifier interface. Whether you practise at home or perform on a stage alone, you will play like one man band.





What is TSAC?

TSAC(True Simulation of Analog Circuit) since 1950's musician have been using analog devices to creat their works. Musicians love the tone of their vintage instruments! The audio signal goes through various electronic components, such as resistors, capacitors, transistors and tubes. All these components affect each other to create the result-TONE! TSAC Technology virtually re-constructs the real analog circuits by using DSP chips, and accurately emulates the tone and feel of the virtuae instruments!

SHENZHEN HEAD OFFICE

Room507, Block 1, Nanhai E-Cool, No.6 Xinghua Road, Shekou, Nanshan District, Shenzhen 518067 China. Phone: 86-755-26869866 Fax:86-755-26869366 Email: mail@cherubtechnology.com

ZHUHAI HIGH-TECH PARK

No.10 Keji No 9 Rd, Tang Jiawan Town Zhuhai 519085 China

USA BRANCH OFFICE

11940 Goldring Rd #C, Arcadia CA 91006 Phone: 626-357-1275

Your Local Dealer:







OCTAVE LOOP

OCTAVE LOOP is a professional looper with 24-bit uncompressed recording quality. Whether positioned in front or behind the effect-chain, OCTAVE LOOP will maintain the original tone of your sound! Without too many knobs and functions that are not unnecessary for stage, OCTAVE LOOP is very intuitive and there is even no chance to have wrong operation! The unique arrow display lets you actually "see" the recording and its status clearly. Besides the basic looper function, OCTAVE LOOP also offers a -1 Octave effect for guitar to play the bass line, and 3 different stop modes. Its size is just right to sit stably on the ground, but not too big to take much of your pedal-board space. If you want a simple, compact, and professional looper to perform on stage, OCTAVE LOOP is what you need!

- 5 mins Recording Time
- 24 bit Uncompressed Recording
- Arrow Display Lets You Actually See the Recording
- Normal Recording & Auto- Recording
- True-Bypass

- -1 Octave Effect
- 3 Stop Modes
- Powered by Battery or AC Adaptor
- Dimensions: 122(L) x 64(W) x 48(H)mm
- Weight: 265g



OCTAVE LOOP PERFORMANTE BEST PARTN

EVERYTHING YOU WANT ABOUT TAPE ECHO

TAPE CORE DELUXE

Don't be fooled by its size.

The legendary space echo is surely put in this box.

Tape Core produces the warm sound just like the original one. You will also be surprised by the details of it. No matter its overdriven sound by itself or how the sound changes when you tweak the time knob.

- 7 delay combinations fron 3 repro heads
- Sound on sound function

 Tail function
- Tone lock

- Tap tempo
 True bypass
 Dimensions: 122(L) x 64(W) x 48(H)mm
- Weight: 265g


















- Two Distortion Voices Built-in Noise Gate to keep the noise low when the gain is

- 22 balls Uzb

 True-Bypass
 USB for Firmware Update.
 Power: 9V(9V battery) AC adaptor (negative tip)
 Dimensions: 122(L)x72(W)x47(H)mm
 Weight: 260g



DELUXE DRIVE CORE

- Classic Texas Overdrive Tone for Rock and Blues
- Clean Boost + Overdrive
- True-Bypass
 Power: 9V(9V battery) AC adaptor (negative tip)
 Dimensions: 122(L)x72(W)x47(H)mm
- Weight: 270g



MOD CORE

- 8 High Quality Modulation effects
- Tone Lock function for keeping the setting safe on stage True-Bypass
 USB for Firmware Update
 Power: 9V(9V battery) AC adaptor (negative tip)
 Dimensions: 120(L)x64(W)x59.5(H)mm

- Weight: 270g



TIME CORE

- 8 Delay Types
- 40 Second Loone
- Tone Lock function for keeping the setting safe on stage ■ True-Bypass
- Power: 9V(9V battery) AC adaptor (negative tip)
 Dimensions: 122(L)x72(W)x47(H)mm
 Weight: 270g



SCREAM BASS

- Gain, Level, Hi, Low, Mix
- True-bypass
 Power: 9V(9V battery) AC adaptor (negative tip)
 Dimensions: 122(L)x72(W)x47(H)mm
- Weight: 270g



- ■7 delay combinations from 3 repro heads
- Killer sound quality
 True Bypass and Buffered Tail Feature
- Long press the footswitch for Tap Tempo Function
- Relay Bypass provide quieter switching
 NUX Original TSAC Technology
 32bit DSP, Hi Performance 24bit 44.1kHz AD/DA Converter
- ■Power: 9V battery or DC 9V adaptor
- ions: 122(L) x72(W) x47(H)mm



BOOST CORE

- ■Whether your main choice is an overdrive or distortion, Boost Core Deluxe will be your best gear-mate
- Analog Circuit
- 3 boost modes(Clean-Dirt-Sparkle)
- Prover: 9V battery or DC 9V adaptor
 Dimensions: 122(L) x72(W) x47(H)mm
 Weight: 270g



- True Bypass■ Blend Circuit allows you to make balance with dry and wet
- signal in wide range Power: 9V battery or DC 9V adaptor
- Dimensions: 122(L) x72(W) x47(H)mm
- ■Weight: 270g



- Cab simulation for stage use
- New upgraded drum-machine ■ Flexible I/O & Auto-detect function
- Powered by battery or adapter
 Dimension :122(L)X72(W)X47(H)mm

- Weight:260g

STOMP BOXES





- Power Tube Simulation
- 8 groups of Cab IR stalls
- 8 microphone gear selection
- Power Amp Simulation
- Double stepping nail design
- Powered by rDC 9V



OCTAVE LOOP

- 10 mins Recording Time
- 24 bit Uncompressed Recording
 Arrow Display Lets You Actually See the Recording
- Normal Recording & Auto- Recording
- -1 Octave Effect
- 3 Stop Modes
- Powered by Battery or AC Adaptor
- Dimensions: 122(L) x 64(W) x 48(H)mm



PT-6

- Tuning range: A_c(27.5)~C_c(4186Hz)
- A4 range: 435~445Hz
 Flat tuning: ♭ ♭ ♭ ♭ ♭ ♭ ♭ ♭ ♭ ♭ ♭ ♭ ♭ ♭ ♭ ■ Power: 9V battery or DC 9V adaptor ■ Dimensions: 122(L) x72(W) x47(H)mm
- ■Weight: 235g



- Smart Rhythm Section with 40 Patterns Seamlessly Phrases Switching
- Dimensions: 122(L) x 64(W) x 48(H)mm



LOOP CORE

- Maximum 6 Hours Recording Time
- Unlimited Layers of Overdubs
- Powered by Batteries or AC Adaptor

PORTABLE EFFECTS

LET'S ROCK, RICHT HERE RICHT NOW!



For Acoustic PA-2 Portable Acoustic Guitar Effects

- Two tuning modes (Chromatic, Guitar), flat tuning function
 Built-in metronome with selectable rhythm patterns
- 9 user and 9 preset programs
 AUX IN makes it easy to jam along with an external music
- Three acoustic preamp: FLAT, JUMBO and MELLOW
- and WIDE
- More than 300ms DELAY , ROOM and HALL REVERB.
 PHASE SWITCH
- Backlit LCD screen for tuner and metronom
 Two AA batteries provide more than 8 hours



PG-2

Portable Guitar Effects

- PG-2 delivers 3stunning guitar amp sounds and 6 digital effects. From sparkling clean, mellow blues to extreme metal, you will easily find you sounds and save as presets! Just hook up your guitar and headphones. PG-2 provides a metronome, accurate tuner, and the sounds of guitar amps and effects.
- Two tuning modes (Chromatic, Guitar), flat tuning function
 Built-in metronome with selectable rhythm patterns
- 9 user and 9 preset programs
- AUX IN makes it easy to jam along with an external music-playb (mp3 player, etc.)
- Three killer amp sounds: CLEAN, BLUES and ROCK
 Three variable speed modulation effects: CHORUS, FLANGER and TREMOLO
- More than 800ms DELAY , ROOM and SPRING REVERB
 Noise Gate
- Backlit LCD screen for tuner and metronome
 Two AA batteries provide more than 8 hours

09

MINI CORE



TUBE MAN **OVERDRIVE**

- Delivers that warm, natural tube overdrive
- By rotating the knobs you can boost the
- guitar amp for colorful tone or overdrive itself for unique pedal sound

 True bypass

 LED indicator shows status of effect
- Dimensions: 94(L) X51(W) X53(H) mm ■ Weight: 174g



REVERB

- Simple OneKnob control Superb high quality reverb
- Trails(buffer-bypass) or ture-bypass
- Analog dry signal for zero latency
- USB port for upgrade effect models
- Dimensions: 94(L) X51(W) X53(H) mm ■ Weiaht: 174a





MONTERES

VIBE

- Allpass filter roctary algorithm
- Tap Tempo function
- +3dB boost level when your crank up the
- Buffer or true bypass
- Dimensions: 94(L) X51(W) X53(H) mm Weight: 174g



distortion True bypass LED indicator shows status of effect ■ Dimensions: 94(L) X51(W) X53(H) mm ■ Weight: 174g





RIVULET

CHORUS

- Analog BBD circuit simulation
- Buffer-bypass or ture-bypass
- Analog dry signal for zero latency ■ USB port for upgrade effect models
- Dimensions: 94(L) X51(W) X53(H) mm



DIGI DELAY

- 800ms maximum delay time
- Tap tempo function
- Trails(buffer-bypass) or ture-bypass
- Analog dry signal for zero latency ■ USB port for upgrade effect models
- Dimensions: 94(L) X51(W) X53(H) mm







LACERATE FET BOOST

- True Bypass / Buffered Tail (Cause of inside power doubling, our buffer could offer double dynamic range than others!)
 2 Boost functions (Clean Boost Crank)
 Dual FET for the most tube like tone in a
- transistor design

 LED indicator shows status of effect
- Dimensions: 94(L) X51(W) X53(H) mm



DRUM & LOOP

- Smallest 24 bits loop pedal with drum machine
 10 Drum patterns in different music styles and
 Metronome
 Up to 12 minutes recording, unlimited layer
 Smart Tap Tempo drum machine
 Drum and Loop volumes can be adjusted separately
 Hold the footswitch to use only drum function and
- control the speed with footswitch

 True-bypass and analog dry-through ■ <u>Dimensions:</u> 94(L) X51(W) X53(H) mm
- Weight: 174g





HD Pitch

HD PITCH

- Unique tuning screen with different tuning
- True Bypass / Buffered Bypass modes ■ Ultra-fast response, precise tuning
- A4 Calibration (436HZ 445HZ)
- Dimensions: 94(L) X51(W) X53(H) mm
- Weight: 174g

ROGTARY **ROTARY & OCTAVE**

Rotary Speaker Simulator & Polyphonic Octave





Roctary is a word mixed with "Rotary" and "Octave". It is world's first rotary speaker cabinet simulator with a polyphonic octave effect. With NUX original TSAC Technology, it faithfully recreates the lush swirling sound of the rotating lower speaker and the treble rotor horn in 3 Dimensions! It even captures the characters of

With the polyphonic octave effects, you can add a +1 Octave and a -1 Octave to your original sound to make your guitar sound like an organ!

- ■Rotary Speaker Effects
- Slow/Fast Switch with Adjustable Rising Time
- Built-In Overdrive
 Accurate Polyphonic Octave Effects: +1 Octave & -1 Octave
 Power: AC adaptor (negative tip)
 Dimensions: 125(L)x108(W)x57(H)mm

C. 2.4G WIRELESS SYSTEM



GP-1 GUITAR PLUG HEADPHONE AMP

GP-1 Guitar Plug is a portable guitar headphone amp with distortion. It's easy to use. Plug it in your guitar and enjoy the classic British rock sound!



Classic British Distortion Practice anytime and anywhere AUX In Jack Powered by two AAA batteries

Specifications

- Power supply: Two AAA batteries (Alkaline batteries are recommended)
- Working with Batteries: approx. 40 hours operation (Alkaline batteries) approx. 8 hours operation (Carbon batteries)
- •Dimensions: 100(L)x88(W)x23(H) mm
- Weight: 43g (without battery)

13

14

MG-20 GUITAR MODELING PROCESSOR

MG-20 is a floor guitar processor with 32bit float point DSP-equipped and True Simulation of Analog Circuits (TSAC) technology. Over 60 effect models, 60 seconds phrase looper sample-based drum machine and mp3 player, sophisticated user interface and big colorful LCD display, MG-20 is the pro solution for guitarist who wants nice tone and function.



Quick Access, Superb Control

The multi-purpose CTRL pedal allows you to switch effects on and off, boost volume for solo, TAP the delay time and modulation speed, or play/stop backing track! With an extensional pedal and the built-in Expression pedal, you are going to have superb control



Color LCD Display

MG-20's newly designed color display is well arranged to help you find your tone and change settings easily! We won't let you lose a beat!



Built-in Music Player and USB
Play along with the music and backing tracks in your SD card!
The USB jack allows system update from NUX website and tone editing on your computer!





MG-100 is a floor guitar processor with 32bit DSP-equipped with True Simulation of Analog Circuits (TS/AC) technology. Up to 48 models, 20 second loop, Sample-based drum machine and sophisticated user interface, MG-100 is an easy guitar machine for the guitarist who wants to plug and play.




- A Total of 58 Models
- 13 Classic Tube Guitar Amp Models
- 11 Cabinets Models
- 6-band Graphic EQ
- V Drum Machine and 40 Seconds Looper M Large Color TFT LCD Panel (160x128)
- Runs on Six AA Batteries or AC Adaptor









Modelling Guitar Processor

- Looper
- Built-in Tuner
- Easy to Turn On/Off Any Effects Section
- USB for System Updating
- Built-in CTRL 1 Footswitch and
- A Total of 55 Models
- 36 Factory Presets and 36 User Presets
- Various Output Modes
- Powered by Adaptor or 6 AA Batteries



WHAT DO YOU GET IN THE MEX-10? A LOT OF "WOW" !



- A total of 55 models, up to nine can be used simultaneously
- 19 classic amp and pedal models with A/B channel switching
- Vintage 3-band passive EQ for every amp model
- Parametric EQ with extra middle frequency sweep control for pedals
- 12 cabinet models provide two different modes for guitar amplifier or mixer/PA input.
- Built-in drum machine with CD quality PCM sounds
- Up to 20 seconds phrase loop with sound on sound
- The AUX IN jack makes it easy to practice along with MP3, CDs and other inputs
- The expression pedal lets you adjust the volume or effects parameters in real time • Big backlit 160 x 128 TFT LCD for clear, easy viewing of the device's name,
- A total of 72 presets: 36 factory + 36 user presets. The A/B switch allows you to use up to 144 presets
- New generation 32-bit DSP, High Performance 24 Bit/ 48kHz AD/DA convertors





NIP 4 FOR Stagoman AC-50 ACOUSTIC INSTRUMENT AMPLIFIER BLUETOOTH FOOTSWITCH PEDAL




NMP-4 is a functional Bluetooth controller pedal designed as a supplemental gear for Stageman Acoustic Guitar amplifier. It controls the built-in Chorus and Reverb for both channels and you can use more functions on Stageman such as built-in loop station and drum machine which you cannot find on the amplifier interface. Whether you practise at home or perform on a stage alone, you will play like one man band

*Dimensions: 250(L) x 74(W) x 31(H) mm *Weight: 298g









MICHTY SERES

MIGHTY 8SE

Portable Guitar Amplifier

- ●8W RMS Power Output
- 6.5 inches Guitar Speaker
- Easy Tuning
- AUX IN + PHONES output ●3-Band EQ
- ●7 TSAC Amp Models
- 6 Effects
- Powered by AAx6pcs or Adaptor
- Dimensions:225(L)x190(W)x205(H)mm
- Weight: 3.0kg





MIGHTY 15SE

Digital Guitar Amplifier

- ●15W
- •8 inches custom speaker CLEAN/DRIVE channels
- ●6 DRIVE types
- Modulation, Delay and Reverb effects
- Built in tuner.
- ●PHONE/MIXER output
- ●CD/MP3 and LINE IN input ●Dimensions:360(L)x330(W)x220(H)mm
- Weight: 8.0kg



MIGHTY 30SE

Programmable Guitar Amplifier

- ●30W RMS Power output ●10 inches Guitar Speaker
- Cutting edge tube clipping simulation algorithm
- USB port for update and control
- Modulation, Delay and Reverb effect.
- Store up to sixteen presets
- Built in tuner with LED display
- MP3/CD input and Headphones/Mixer output
- Optional MP-1 Pedal allows you to boost volume, switch channels/presets/effects and TAP tempo
- Dimensions:395(L)x220(W)x375(H)mm
- Weight: 9.2kg



MIGHTY 50X

Programmable Guitar Amplifier



- Cutting edge tube clipping simulation algorithm
- Three band vintage style EQ gives a tube guitar amp response
- Four modulation effects including Chorus Flanger, Phaser & Tremolo Delay and reverb effects can be used with
- modulation effects simultaneously Built-in tuner with 7-segment LED display
- ●MP3/CD input
- Headphones/Mixer output
- Dimensions:490(L)x265(W)x430(H)mm
- Weight: 15.0kg

TSAC 12" Speaker

FRONTLINE SERES

FRONTLINE15

Digital Guitar Amplifier

- Channels:CLEAN, DISTORTION
- Preamp models:6■ EQ:3-band (for two channels)
- Power output:15W RMS
- Speaker: 8 inch
- Digital EFX:6
- Interface:CD/MP3 IN, MIC IN, Headphone
- Control:Foot switch input
- Built-in tuner
- Dimensions: 403(L) x 200(W) x 347(H)mm
- Weight: 10.0kg




FRONTLINE30

Digital Guitar Amplifier

- Channels:CLEAN, DISTORTION
- Preamp models:6
- EQ:CLEAN(Treble and Bass), DISTORTION (3-band)
- Power output:30W RMS
 Speaker: 10 inch
- Digital EFX:6
- Interface:CD/MP3 IN, Headphone ■ Control:Foot switch input
- Built-in tuner
- Dimensions: 463(L) x 228(W) x 409(H)mm







NUX Drum System



DM-1 Portable Electronic Drum kit

DM-1 is the newest nortable electronic drum-kit designed by Nux, It is easy to carry and solid to play. It could be folded up and then you are good to go. With 20 precisely sampled studio kits and 6 types coach function, it also comes with "OneKnob" to polish your tone. OneKnob is a handy effect by using the most common 3 effects you could find when you isten to albums which are Compressor, Overdrive and Reverb. The OneKnob is well crafted with custom adjusting curve. That makes you have much more creativity both for stage and

- ■3 Tom,1 Snare,1 Hihat,1 Crash,1Ride
- Editable Metronome, Rhythm, Tempo Rate, Volume
- Midi Data through USB port
- Headphone output, Power In, USB Midi, SD, Aux In, Output



DM-2 **Electric Drum Kit**

- ■5 drum pads and 3 cymbals
- Solid metal drum stand offers a sturdy four leg design with new, improved ball-clamp snare and cymbal mounts for fast, flexible component
- Sounds: 361 (Each sound can set phase, volume, pitch and velocity curve.)
- Drum Kits: 40 (Factory: 20, User: 20)
- ■Demo Songs: 20

■ Coach Function: Time Check mode, Tempo Check mode Quiet Check mode Auto Un Down mode



DM-3 **Electric Drum Kit**

- ■5 drum pads and 3 cymbals
- Solid metal drum stand offers a sturdy four leg design with new, improved ball-clamp snare and cymbal mounts for fast, flexible component
- Sounds: 361 (Each sound can set phase, volume, pitch and velocity curve.)
- ■Demo Songs: 20
- ■Drum Kits: 40 (Factory: 20, User: 20)



DM-4 **Electric Drum Kit**

- ■5 drum pads and 4 cymbals
- Solid metal drum stand offers a sturdy four leg design with new, improved ball-clamp snare and cymbal mounts for fast, flexible component
- Sounds: 232 (Each sound can set phase, volume, pitch and velocity curve.)
- ■Drum Kits: 50 (Factory: 25, User: 25)
- ■Demo Songs: 20
- Coach Function: Time Check mode, Tempo Check mode. Quiet Check mode. Auto Up Down mode.



DM-5 **Electric Drum Kit**

- ■5 drum pads and 4 cymbals
- Solid metal drum stand offers a sturdy four leg design with new, improved ball-clamp snare and cymbal mounts for fast, flexible component placement.
- Sounds: 232 (Each sound can set phase, volume, pitch and velocity curve.)
- ■Drum Kits: 50 (Factory: 25, User: 25)
- ■Demo Songs: 20



DA30 Drum Amplifier

- ■30W amplifier and a 10" speaker.
- ■Jam along with your favorite songs by connecting anexternal CD or Mp3 player to the Line In jack.
- Balance the external audio with the dedicated volume controls; adjust the tone with the built-in three-band EQ.
- ■Power: AC 117V, AC220V or AC230V
- Dimensions:4430(H)x390(W)x340(D)mm

The fingertip beat melody



NUX Digital Piano



WK-300 Digital Piano

- Five dynamic levels of stereo piano sampling
- Harmonic Series Simulation and Sympathetic Resonance Technology
- Italian technology 88 keys scaled hammer action keyboard with four dynamic curves.
- Max. Polyphony: 64x2(Stereo)
- 52 demo songs
- 128 GM standard tones
- Recording function■ Power: DC12V 2A
- Dimensions: 1360mm(L)x320mm(W)x770mm(H)
- Weight: 43kg



WK-310 Digital Piano

- Five dynamic levels of stereo piano sampling
- Harmonic Series Simulation and Sympathetic Resonance Technology
- Italian technology 88 keys scaled hammer action keyboard with four dynamic curves.
- Max. Polyphony: 64x2(Stereo)
- 52 demo songs
- 128 GM standard tones
- Recording function
- Bluetooth connection APP function
- Power: DC12V 2A
- Dimensions: 1360mm(L)x320mm(W)x770mm(H)
- Weight: 43kg



WK-350 Digital Piano

- Five dynamic levels of stereo piano sampling
- Harmonic Series Simulation and Sympathetic Resonance Technology
- Italian technology 88 keys scaled hammer action keyboard with four dynamic curves.
- Max. Polyphony: 64x2(Stereo)
- 52 demo songs
- 310 tones + 10 standard percussion kits + 1 synthetic tone set
- Auto accompaniment with 160 rhythm styles
- Recording function
- Power: DC12V 2A
- Dimensions: 1360mm(L)x320mm(W)x770mm(H)
- Weight: 48kg



WK-360 Digital Piano

- Five dynamic levels of stereo piano sampling
- Harmonic Series Simulation and Sympathetic Resonance Technology
- Italian technology 88 keys scaled hammer action keyboard with four dynamic curves
- Max. Polyphony: 64x2(Stereo)
- 52 demo songs
- 310 tones + 10 standard percussion kits + 1 synthetic tone set
- Auto accompaniment with 160 rhythm styles
- Recording function
- Bluetooth connection APP function
- Power: DC12V 2A
- Dimensions: 1360mm(L)x320mm(W)x770mm(H)
- Weight: 48kg



WK-500 Digital Piano

- Five dynamic levels of stereo piano sampling
- Harmonic Series Simulation and Sympathetic Resonance Technology
- Italian technology 88 keys scaled hammer action keyboard with four dynamic curves
- Max. Polyphony: 64*2(Stereo)
- 120 demo songs and 88 practice songs
- 145 tones(128 GM standard tones + 17 folk music tones) + 10 standard percussion kits + 1 synthetic tone set
- Auto accompaniment with 120 rhythm styles
- Recording function■ Power: DC12V 2A
- Dimensions: 1360mm(L)x410mm(W)x1020mm(H)
- Weight: 55kg



WK-700 Digital Piano

- Five dynamic levels of stereo piano sampling
- Harmonic Series Simulation and Sympathetic Resonance Technology
- Italian technology 88 keys scaled hammer action keyboard with four dynamic curves
- Max. Polyphony: 136
- 100 demo songs
- 136 tones(128 GM standard tones + 8 folk music tones) + 9 standard percussion kits + 1 synthetic tone set
- Auto accompaniment with 100 rhythm styles
- Recording function with three tracks
- Power: DC12V 2A
- Dimensions: 1370mm(L)x490mm(W)x880mm(H)
- Weight: 54kg

 \bigstar Specifications may change without notice.