




## GO-SOUND 15AIR

# 15" PORTABLE PA SYSTEM WITH GO-SOUND AIR APP, 2 VHF WIRELESS MICROPHONES, TROLLEY AND BATTERY

Soundsation GO-SOUND takes another step forward and becomes **Go-Sound Air**. While keeping all features of the previous Go-Sound AMW series (battery or mains power, trolley with telescopic handle, two VHF wireless microphones, USB/SD-Card/BT Player, Mic/Line Inputs, Eco effect, 5-Band EQ, etc.), it allows now to control the multimedia player and the Aux Stereo Input via the new "Go-Sound Air" app for both Android and iOS devices (download it from Google Play® or AppStore®).

It has never been easier to play and control your favorite playlists from your mobile phone: just connect the speaker and the App via BT to your tablet or phone and it's done deal.


As for the previous AMW Series, the battery lasts from 2.5 hours (maximum volume and full charge) to 4 hours (normal volume, full charge). Both 12" and 15" versions feature a Class-AB amplifier, delivering up to 800W Peak Power (when connected to mains). The cabinet is in robust and light polypropylene with metal grid and 36mm stand hole.



GO-SOUND 15AIR

# 15" PORTABLE PA SYSTEM WITH GO-SOUND AIR APP, 2 VHF WIRELESS MICROPHONES, TROLLEY AND BATTERY

---



GO-SOUND 15AIR

# 15" PORTABLE PA SYSTEM WITH GO-SOUND AIR APP, 2 VHF WIRELESS MICROPHONES, TROLLEY AND BATTERY

## PRODUCT DETAILS

### KEY FEATURES

Portable PA System with Rechargeable Battery

Sturdy polypropylene enclosure yet compact and lightweight

800W\* Peak Power Class-AB power amplifier (\*mains powered)

15" woofer with 1" compression driver

MP3 player with USB, SD Card and BT Connection

Go-Sound Air App Control on Android® and iOS® devices

Dual VHF Handheld Wireless Microphone

Microphone/Line inputs

Echo Effect for Wireless and Mic Inputs

5-Band Graphic EQ

Rechargeable Battery with 2.5 (max volume) to 4-hour (standard use) battery life

36 mm standard pole mount hole

Trolley system with wheels and one telescopic handle on top + 2 side handles

### SPECIFICATIONS

|                    |                                                                |
|--------------------|----------------------------------------------------------------|
| Speaker Type       | Portable 2-way PA System with Rechargeable Battery and Trolley |
| Frequency response | 60Hz-19KHz                                                     |
| Max. SPL           | 114dB (mains powered)                                          |
| LF                 | 15"                                                            |

## GO-SOUND 15AIR

# 15" PORTABLE PA SYSTEM WITH GO-SOUND AIR APP, 2 VHF WIRELESS MICROPHONES, TROLLEY AND BATTERY

|                                              |                                                                                                                         |
|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>HF</b>                                    | 1" Compression Driver (1" voice coil)                                                                                   |
| <b>Directivity (HxV) / Horn Type</b>         | 90° x 40° - 60° / Asymmetric                                                                                            |
| <b>Amplifier Power (Program/Peak)</b>        | 400W* / 800W* - Class-AB (*Mains Powered)                                                                               |
| <b>Controls</b>                              | Mic1&2 level, Line level, Echo level, Bluetooth/MP3 level, Master level, Wireless Mics On, W. Mic1 level, W. Mic2 level |
| <b>5-Band Graphic EQ</b>                     | 100Hz, 330Hz, 1KHz, 3,3KHz, 10KHz (+/- 12dB)                                                                            |
| <b>Connections</b>                           | Mic 1&2 6.3mm TS Jack, Line In L&R RCA, Line Out L&R RCA                                                                |
| <b>LED Indicators</b>                        | Power, Clip, Wireless Mic On, RF Mic1, RF Mic2, Battery Charge                                                          |
| <b>Media player</b>                          | USB, SD-Card, BT Audio Streaming, LCD Display. Remote Control                                                           |
| <b>Media player controls</b>                 | Stop, Play/Pause, Next track, Prev. track, Mode                                                                         |
| <b>App Control</b>                           | BT connection to Go-Sound Air App for Android®/iOS®                                                                     |
| <b>Mains Power</b>                           | 230VAC-50Hz                                                                                                             |
| <b>Fuse</b>                                  | T1A-250V                                                                                                                |
| <b>Mains Connector</b>                       | VDE + Fuse holder                                                                                                       |
| <b>Add. Power</b>                            | External 12VDC (No charge function)                                                                                     |
| <b>Add. Fuse</b>                             | T10A-250V                                                                                                               |
| <b>Add. Power Connector</b>                  | 12Vcc Push-in Spring Terminal                                                                                           |
| <b>Rechargeable Battery</b>                  | 12V-7Ah Lead Battery (TC12-7.0 type)                                                                                    |
| <b>Battery Dimension (WxHxD)</b>             | 151 x 100 x 65 mm                                                                                                       |
| Wireless MIC1 / MIC2: VHF 174.4MHz / 175 MHz |                                                                                                                         |
| <b>Frequency Response</b>                    | 40Hz – 16kHz / ±3dB                                                                                                     |
| <b>Transmitter Power</b>                     | 10mW                                                                                                                    |
| <b>Modulation Type</b>                       | FM                                                                                                                      |